


**DART**

DESIGN TP	DRAWN BY TP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED MBS	DRAWING NO. D3333	REV. B SHEET 1 OF 3
DATE 05.02.18		TITLE PLATE	SCALE 1:2
A	04.12.14	NEW ISSUE	
B	05.02.18	RE-DESIGN D3333-3	

RELEASED  
05/02/22




### D3333-1 BASE PLATE PANEL

#### NOTES:

- 1) MATERIAL: AISI 4140 STEEL 0.625 THICK STEEL (REF. DART SPEC. M4140-B)  
MIN. YIELD TENSILE STRENGTH = 100 ksi
- 2) FINISH: POWDER COAT PAINT FIRE RED (4.3.5.10) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010


**DART**

DESIGN <i>PF</i>	DRAWN BY <i>PF</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CB</i>	APPROVED <i>MS</i>	DRAWING NO. D3333	REV. B SHEET 2 OF 3
DATE 05.02.18		TITLE PLATE	SCALE 1:4

**RELEASED**  
*MS*  
05/02/22DO NOT PAINT THESE AREAS  
(TYPICAL ON BOTH SIDES)SECTION A-AD3333-3 SLIDING PLATENOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570, 0.50 THICK MILD STEEL (REF. DART SPEC. M1010-B)
- 2) FINISH: POWDER COAT FIRE RED (REF. 4.3.5.10) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

DESIGN <i>BS</i>	DRAWN BY <i>BS</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECKED <i>BS</i>	APPROVED <i>AB</i>	DRAWING NO. D3333
DATE 05.02.18		REV. B SHEET 3 OF 3 TITLE PLATE SCALE 1:2



RELEASED  
*AB*  
05/02/22

### D3333-5 RAIL

#### NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570, 1.00 THICK STEEL (REF. DART SPEC. M1010-B)
- 2) FINISH: POWDER COAT FIRE RED (REF. 4.3.5.10) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010